Application for Fireworks Other Than Consumer or Low Impact

Authority 2011 PA 256	The **LEGISLATIVE BODY OF CITY, VILLAGE OR TOWNSHIP BOARD** will not discriminate against any individual or group because of race, sex, religion, age, national origin, color, marital status, disability, or political beliefs. If you need assistance with reading, writing, hearing, etc., under the Americans with Disabilities Act, you may make your needs known to this Legislative Body of City, Village or Township Board.	**FOR USE BY LEGISLATIVE BODY OF CITY, VILLAGE OR TOWNSHIP BOARD ONLY** DATE PERMIT(S) EXPIRE:

TYPE OF PERMIT(S) (Select all applicable boxes)

- ☐ Agricultural or Wildlife Fireworks
- ☒ Articles Pyrotechnic
- ☐ Display Fireworks
- ☒ Public Display
- ☐ Private Display
- ☐ Special Effects Manufactured for Outdoor Pest Control or Agricultural Purposes

NAME OF APPLICANT AMERICAN FIREWORKS COMPANY	ADDRESS OF APPLICANT 7041 DARROW ROAD, HUDSON, OHIO 44236	AGE OF APPLICANT 18 YEARS OR OLDER ☒ YES ☐ NO
NAME OF PERSON OR RESIDENT AGENT REPRESENTING CORPORATION, LLC, DBA OR OTHER	ADDRESS PERSON OR RESIDENT AGENT REPRESENTING CORPORATION, LLC, DBA OR OTHER	
IF A NON-RESIDENT APPLICANT (LIST NAME OF MICHIGAN ATTORNEY OR MICHIGAN RESIDENT AGENT)	ADDRESS (MICHIGAN ATTORNEY OR MICHIGAN RESIDENT AGENT)	TELEPHONE NUMBER
NAME OF PYROTECHNIC OPERATOR AMERICAN FIREWORKS COMPANY - MICHAEL MURTLAND	ADDRESS OF PYROTECHNIC OPERATOR 5196 S US HIGHWAY, WILLINGTON, OH	AGE OF PYROTECHNIC OPERATOR 18 YEARS OR OLDER ☒ YES ☐ NO
NO. YEARS EXPERIENCE 20+ / NO. DISPLAYS 500+	WHERE THROUGHOUT MICHGAN, OHIO, MARYLAND	
NAME OF ASSISTANT CONNOR CHILDS	ADDRESS OF ASSISTANT 4665 MEGAN DANIELLE DRIVE, MORROW, OH	AGE OF ASSISTANT 18 YEARS OR OLDER ☒ YES ☐ NO
NAME OF OTHER ASSISTANT FRANCESCA CHILDS MICHELLE MURTLAND	ADDRESS OF OTHER ASSISTANT 4665 MEGAN DANIELLE DRIVE, MORROW, OH 5196 S US HIGHWAY, WILLINGTON, OH	AGE OF OTHER ASSISTANT 18 YEARS OR OLDER ☒ YES ☐ NO
EXACT LOCATION OF PROPOSED DISPLAY 140 N. ADAMS ROAD, ROCHESTER HILLS, MI		
DATE OF PROPOSED DISPLAY NOVEMBER 20, 2026	TIME OF PROPOSED DISPLAY APPROX 8:00 PM	

MANNER AND PLACE OF STORAGE, SUBJECT TO APPROVAL OF LOCAL FIRE AUTHORITIES, IN ACCORDANCE WITH NFPA 1123, 1124 & 1126 AND OTHER STATE OR FEDERAL REGULATIONS. PROVIDE PROOF OF PROPER LICENSING OR PERMITTING BY STATE OR FEDERAL GOVERNMENT

THERE WILL BE NO STORAGE NECESSARY AS THE PRODUCT WILL BE DELIVERED TO THE SITE ON THE DAY OF DISPLAY AND NOT BE LEFT UNATTENDED

AMOUNT OF BOND OR INSURANCE (TO BE SET BY LOCAL GOVERNMENT) $10,000,000	NAME OF BONDING CORPORATION OR INSURANCE COMPANY Everest Indemnity Ins. Co. & Everest Danali Ins. Co.
ADDRESS OF BONDING CORPORATION OR INSURANCE COMPANY Britton-Gallagher Assoc., Inc., One Cleveland Center - Floor 30, 1375 East 9th Street, Cleveland, OH	

NUMBER OF FIREWORKS	KIND OF FIREWORKS TO BE DISPLAYED (Please provide additional pages as needed)
150	1" 22MM COMETS AND MINES
100	1.5" 40MM COMETS AND MINES
75	2" 50MM COMETS AND MINES
200	SPECIAL EFFECT FOUNTAINS, GERBS, FLAMES, & CANDLES

SIGNATURE OF APPLICANT Roberto Sorgi	AMERICAN FIREWORKS CO ROBERTO SORGI, PRESIDENT	DATE 10-3-26

BFS-417 (Rev 01/18)

Application for Fireworks Other Than Consumer or Low Impact

NUMBER OF FIREWORKS	KIND OF FIREWORKS TO BE DISPLAYED
150	1 " 22MM COMETS AND MINES
100	1.5" 40MM COMETS AND MINES
75	2" 50MM COMETS AND MINES
200	SPECIAL EFFECT FOUNTAINS, GERBS, FLAMES, & CANDLES

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 10/2/2026

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME:	
Acrisure Midwest Insurance Services, LLC 223 West Grand River Ave #1 Howell MI 48843	PHONE (A/C, No, Ext): 216-658-7100	FAX (A/C, No): 216-658-7101
	E-MAIL ADDRESS:	

INSURED	INSURER(S) AFFORDING COVERAGE	NAIC #
American Fireworks Company 7041 Darrow Road P. O. Box 1447 Hudson OH 44236-2254	INSURER A : Palomar Excess and Surplus Insurance Company	16754
	INSURER B : Continental Indemnity Company	28258
	INSURER C : HDI Global Specialty SE	
	INSURER D : Accident Fund Insurance Company of America	10166
	INSURER E :	
	INSURER F :	

54

COVERAGES **CERTIFICATE NUMBER:** 1267514229 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE X OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO-JECT X LOC OTHER:	Y	Y	AESPLMR-GL-26-00020	2/1/2026	2/1/2027	EACH OCCURRENCE	$ 1,000,000
							DAMAGE TO RENTED PREMISES (Ea occurrence)	$ 500,000
							MED EXP (Any one person)	$
							PERSONAL & ADV INJURY	$ 1,000,000
							GENERAL AGGREGATE	$ 2,000,000
							PRODUCTS - COMP/OP AGG	$ 2,000,000
								$
B	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY X HIRED AUTOS ONLY SCHEDULED AUTOS X NON-OWNED AUTOS ONLY	Y	Y	BESCRMNOH011601_171254_01	2/1/2026	2/1/2027	COMBINED SINGLE LIMIT (Ea accident)	$ 1,000,000
							BODILY INJURY (Per person)	$
							BODILY INJURY (Per accident)	$
							PROPERTY DAMAGE (Per accident)	$
								$
C	UMBRELLA LIAB X OCCUR X EXCESS LIAB CLAIMS-MADE DED RETENTION $	Y	Y	25QS1588	2/1/2026	2/1/2027	EACH OCCURRENCE	$ 9,000,000
							AGGREGATE	$ 9,000,000
								$
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBEREXCLUDED? Y / N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		ARP12001125200 (MI)	4/19/2026	4/19/2027	X PER STATUTE OTH-ER	
							E.L. EACH ACCIDENT	$ 1,000,000
							E.L. DISEASE - EA EMPLOYEE	$ 1,000,000
							E.L. DISEASE - POLICY LIMIT	$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Additional Insured extension of coverage is provided by above referenced policies where required by written agreement.
Display Date: November 20, 2026 Rain Date: TBD
Location: Festival Park: Village Main, Rochester Hills, Michigan 48307

RE: General Liability, the following are named as additional insured in respects to the negligence of the named insured:

See Attached...

CERTIFICATE HOLDER

City of Rochester Hills
Rochester Hills MI

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

AGENCY CUSTOMER ID: 54

LOC #:

ADDITIONAL REMARKS SCHEDULE

AGENCY	NAMED INSURED
Acrisure Midwest Insurance Services, LLC	American Fireworks Company 7041 Darrow Road P. O. Box 1447 Hudson OH 44236-2254
POLICY NUMBER	
CARRIER / NAIC CODE	EFFECTIVE DATE:

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE

Additional Insureds: the City of Rochester Hills, all elected and appointed officials, all employees and volunteers, all boards, commissions and/or authorities and board members, including employees and volunteers, Rochesters Hills Downtown Devolvement Authority

© 2008 ACORD CORPORATION. All rights reserved.
The ACORD name and logo are registered marks of ACORD

Pyrotechnic Application

1. Completed Application for State Permit is attached.
2. Proof of liability insurance is attached.
3. Plan for the use of pyrotechnic special effects:
    a. City of Rochester Hills
    b. November 20, 2026 at approximately 8:00 p.m.
    c. 140 N. Adams Road, Rochester Hills, MI 48307
    d. Michael Murtland is the pyrotechnic operator.
    e. 3 Assistants:
        i. Michelle Murtland – 49
        ii. Connor Childs – 30
        iii. Francesca Childs – 34

        Michael Murtland has successfully shot 500+ displays of the same size or larger than the Rochester Hills display. He attends American Fireworks Company yearly safety seminar.
    f. Michael Murtland has been a pyrotechnic operator for over 20 years and has shot over 500 displays in the United States.
    g. There is no license required to be a pyrotechnicians in the State of Michigan but he (along with his crew) has cleared a federal background check conducted by the BATFE and is allowed to work under American Fireworks Company's ATF license.

h.	150	1"	22 mm COMETS AND MINES (1.4g, UN 0431, PG II)
i.	100	1.5"	40 mm COMETS AND MINES (1.4g, UN 0431, PG II)
j.	75	2"	50 mm COMETS AND MINES (1.4g, UN 0431, PG II)
k.	200		SPECIAL EFFECT FOUNTAINS, GERBS, FLAMES & CANDLES (1.4g, UN 0431, PG II)

All items will be shot using electric match. The pyrotechnic operator and his assistant has worked extensively with all of these, shooting more than 50 shows a year using these same types of devices. General responsibilities of the assistants will be setting up and securing racks, loading and plugging in product, assisting with continuity check and failed electric match checks and resolving any problems which can be resolved before shooting display, checking for unexploded materials after the display is shot and disassembling equipment, loading it back on the truck and cleaning the shoot site.

All items will be shot using electric match. The pyrotechnic operator and his assistant has worked extensively with all of these, shooting more than 50 shows a year using these same types of devices. General responsibilities of the assistants will be setting up and securing racks, loading and plugging in product, assisting with continuity check and failed electric match checks and resolving any problems which can be resolved before shooting display, checking for unexploded materials after the display is shot and disassembling equipment, loading it back on the truck and cleaning the shoot site.

l. Site diagram is attached.

m. All equipment will be assembled in its designated area on the shoot site, marked with the green pins on the site diagram.

n. Pyrotechnics will arrive Friday morning the day of the display.

o. SDS sheets are attached.

p. All of our mortar racks are made of HDPE (high density polyethylene) or fiberglass, both of which are permitted for use of shooting pyrotechnic devices per NFPA 1123 and NFPA 1126 (4.3.7.1.), PGI (Official Fireworks Safety Guidelines 6.C.2) and A.P.A. (APA Display Fireworks Training Program 7.1.4.1.).

SAFETY DATA SHEET

QUICK IER

UN0431 1.4G ARTICLES PYROTECHNIC, PGII

Common Name: (Used on label and list)

May be used to comply with OSHA's Hazard Communication Standard. 29CFR 1910. 1200. Standard must be consulted for specific requirements.

SECTION 1

Manufacturer's Name: **08-025**

Address: **7041 Darrow Road**

City, State & Zip: **Hudson, Ohio 44236**

Signature of Person Responsible for Preparation (Optional)

Emergency Telephone No. **1-800-255-3924**

Other Information Calls: **Enroute Inquiry 330-653-5380**

Date Prepared: **January 1, 2026**

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTIFY

Hazardous Component(s) (chemical & common name(s)	% (Optional)	OSHA PEL	ACGIH TL	Other Exposure Limits	CAS NO

CONTAINS PYROTECHNIC COMPOSITIONS AND ARE CLASSIFIED AS ARTICLES, PYROTECHNIC, 1.4G UN#0431 BY THE DEPARTMENT OF TRANSPORTATION.

NO CHEMICAL COMPOSITIONS ARE EXPOSED DURING HANDLING AND STORAGE

SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point: **N/A**

Specific Gravity (H_2O = 1): **N/A**

Vapor Pressure (mm Hg): **N/A**

Vapor Density (Air = 1): **N/A**

Solubility in Water: **SLIGHT**

Reactivity in Water: **N/A**

Appearance and Odor: **CONTAINED IN CARDBOARD CASING**

Melting Point: **N/A**

SECTION 4 - FIRE & EXPLOSION DATA

Flash Point: **N/A** F. C.

Method Used

Flammable Limits In Air % by Volume

LEL Lower: **N/A**

UEL Upper: **N/A**

Auto-Ignition Temperature

Extinguisher Media: **DO NOT ATTEMPT TO FIGHT FIRE IN VICINITY - EVACUATE**

Special Fire Fighting Procedures: **EVACUATE FIRE AREA IMMEDIATELY AND SEEK SHELTER**

Unusual Fire and Explosion Hazards: **MAY MASS EXPLODE**

SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability — Unstable ☐ — Conditions to Avoid: OPEN FLAMES, SMOKING OR MOISTURE/FRICTION & IMPACT
Stable ■

Incompatibility (Materials to Avoid): SOAKING WET OR DAMP

Hazardous Decomposition Products: DEVICES WILL EXPLODE IN FIRE SITUATION

Hazardous Polymerization — May Occur ☐ — Will Not Occur ☐ — Conditions to Avoid

SECTION 6 - HEALTH HAZARDS

1. Acute (Immediate) 2. Chronic (Delayed Effect)

CLORATE OF SODA-ALUMINUM

Signs and Symptoms of Exposure

Medical Conditions Generally Aggravated by Exposure: N/A

Chemical Listed as Carcinogen or Potential Carcinogen: N/A

	National Toxicology Program	I.A.R.C. Monographs	OSHA
Yes	☐	☐	☐
No	■	■	■

Emergency and First Aid Procedures: N/A

ROUTES OF ENTRY

1. Inhalation: NO
2. Eyes: NO
3. Skin: NO
4. Ingestion: NO

SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken in Handling and Storage: KEEP COOL AND DRY, AVOID IMPACT, NO SMOKING

Other Precautions: KEEP FIRE AWAY - HANDLE CAREFULLY

Steps to be Taken in Case Material is Released or Spilled: CAUTIOUSLY PICK UP SPILLED DEVICES AND PLACE IN CASE

Waste Disposal Methods (Consult Federal, State and Local Regulations): ANY MISFIRES WILL BE DISPOSED OF PER MANUFACTURER INSTRUCTIONS

SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection (Specify Type): N/A

Ventilation: OUT DOOR USE ONLY — Local Exhaust — Mechanical (General) — Special — Other

Protective Gloves: N/A — Eye Protection: N/A

Other Protective Clothing or Equipment: N/A

Work/Hygienic Practices: N/A

IMPORTANT

Do not leave any blank spaces. If required information is unavailable, unknown or does not apply, so indicate.

CU-F1R Printed by Labelmaster, An American Labelmark Company, Chicago, IL 60646 (800) 621-5808

EMERGENCY RESPONSE INFORMATION
SPECIAL FIREWORKS (UN0336-FIREWORKS 1.4G)

No chemical components are released during normal handling of shells, storage and transportation. In the event of a vehicle fire that reached the cargo area, the fireworks are likely to ignite. They will burn, spreading burning particles over a limited area. A mass explosion is not expected. Smoke and potentially irritating gases will be produced in such a fire. If the fireworks are spilled as the result of an accident but do not ignite, they can safely be picked up and repackaged with caution. The area should be kept clear of non-essential people while this is being done.

EMERGENCY ACTION

In case of fire, stop traffic, isolate the immediate area and deny entry. Keep non-essential people away. Fire in cargo area can be fought with water spray if necessary, although disposal and site clean up will be simplified if material is allowed to burn. Try to prevent other types of fire from reaching the cargo area.

Self-contained breathing apparatus (SCBA) and structural firefighter's protective clothing will provide some limited protection. Firefighters should retreat if fire approaches cargo area and use unmanned hose holder to direct water spray on fire.

For additional information, call the shipper using the emergency telephone number listed on the shipping papers; if there is no answer; call Chemtel's 24-Hour number 800-255-3924.

FIRE

Truck fire (other than cargo area): Flood with water. Tire fires may re-start. If possible, unhook and separate tractor from trailer. Remove vehicle that is not involved in fire from fire area if you can do so without risk. If cargo area is exposed to heat and flames, direct water spray on outside of container to cool it down. Continue to stray until well after fire is out.

Cargo fire: **DO NOT** move cargo or vehicle if cargo has been exposed to heat. Withdraw from area if and when fire reaches cargo and let fire burn. Use firefighting team to prevent spread of fire to adjacent structures and materials. Promptly isolate the scene by removing all persons from the vicinity of the incident. First, move people out of line-of-sight of the scene and away from windows. Obtain more information from competent authorities listed on the shipping papers.

SPILL OF CARGO

Shut off all ignition sources. There should be no flares, smoking, tools capable of producing sparks, or flames in the vicinity of the spilled material. Cautiously pick up the spilled devices and place them in cardboard cartons.

FIRST AID

Call emergency medical care.
Use first aid treatment according to the nature of the injury.

Ohio Division of State Fire Marshal, Bureau of Testing & Registration

Lookup Detail View

Contact Information

Name	Address
MICHAEL DANIEL MURTLAND	WILMINGTON, OH 45177-9793 Work Number:

Credential Information

Credential	License Type	Expiration Date	Status	Reason
56.14.0014	Fireworks - Exhibitor	04/01/2027	ACTIVE	ACTIVE

Categories

Category	Status	Date Added
Fireworks and Pyrotechnics - NFPA 1123 and 1126	Active	05/09/2011
Flame Effects - NFPA 160	Active	12/18/2013

Generated on: 4/16/2026 9:57:41 AM

Any changes in information must be submitted within 30 days to:

Bureau of Testing & Registration
PO BOX 529
Reynoldsburg, Ohio 43068
614-752-7126
614-995-4206 (fax)
webfmtr@com.state.oh.us

This license shall be carried on your person while performing the listed activities.

State of Ohio
Department of Commerce
Division of State Fire Marshal

EXHIBITOR LICENSE
CONNOR DAVID CHILDS
56.09.0026
Expiration Date: 04/01/2027

Signature _____
This card shall be on your person while performing listed activities.

Ohio Department of Commerce
Division of State Fire Marshal
Bureau of Testing & Registration
8895 E Main Street, PO Box 529
Reynoldsburg, Ohio 43068

CONNOR DAVID CHILDS
4665 MEGAN DANIELLE DR
MORROW, OH 45152-8094

CONNOR DAVID CHILDS
is duly licensed to conduct business as an exhibitor in the State of Ohio until the expiration date of
04/01/2027
The classification(s) of Licensure for this period are:
Fireworks and Pyrotechnics - NFPA 1123 and 1126
Flame Effects - NFPA 160

This license is not transferrable

Mike DeWine
Governor

State of Ohio
Department of Commerce
Division of State Fire Marshal

Sheryl Maxfield
Director

EXHIBITOR ASSISTANT REGISTRATION
Effective Date: 06/04/2026 **Expiration Date: 06/03/2027**

Exhibitor ID #: 56.77.0088 **Exhibitor Name: ROBERTO F SORGI**
Assistant ID #: 57.77.0420-A
FRANCESSA BREANNA CHILDS
7041 DARROW RD
HUDSON, OH 44236-2254

The licensed exhibitor verifies that this employee has completed a minimum of three hours of in-service education in the safe operation of a public display.

This license is for the exhibitor, as proof of registration.

This card license is to be carried by the assistant.

State of Ohio
Department of Commerce
Division of State Fire Marshal

EXHIBITOR ASSISTANT

Name: FRANCESSA BREANNA CHILDS
ID #: 57.77.0420-A
Expiration Date: 06/03/2027

This card shall be on your person while performing listed activities.



Mike DeWine
Governor

State of Ohio
Department of Commerce
Division of State Fire Marshal

Sheryl Maxfield
Director

EXHIBITOR ASSISTANT REGISTRATION
Effective Date: 06/09/2026 Expiration Date: 06/08/2027

Exhibitor ID #: 56.77.0088
Exhibitor Name: ROBERTO F SORGI
Assistant ID #: 57.77.0385-A
MICHELE LYNN MURTLAND
7041 DARROW RD
HUDSON, OH 44236-2254

The licensed exhibitor verifies that this employee has completed a minimum of three hours of in-service education in the safe operation of a public display.

This license is for the exhibitor, as proof of registration.

This card license is to be carried by the assistant.

State of Ohio
Department of Commerce
Division of State Fire Marshal

EXHIBITOR ASSISTANT

Name: MICHELE LYNN MURTLAND
ID #: 57.77.0385-A
Expiration Date: 06/08/2027

This card shall be on your person while performing listed activities.

To remove card, start at either bottom corner and pull out from carrier.

Mike DeWine
Governor

State of Ohio
Department of Commerce
Division of State Fire Marshal

Sheryl Maxfield
Director

EXHIBITOR ASSISTANT REGISTRATION
Effective Date: 05/10/2026 Expiration Date: 05/09/2027

Exhibitor ID #: 56.77.0088 **Exhibitor Name: ROBERTO F SORGI**
Assistant ID #: 57.14.0111-A
SYDNEY MURTLAND
5196 N US HIGHWAY 68
WILMINGTON, OH 45177-9414

The licensed exhibitor verifies that this employee has completed a minimum of three hours of in-service education in the safe operation of a public display.

This license is for the exhibitor, as proof of registration.

This card license is to be carried by the assistant.

State of Ohio
Department of Commerce
Division of State Fire Marshal

EXHIBITOR ASSISTANT

Name: SYDNEY MURTLAND
ID #: 57.14.0111-A
Expiration Date: 05/09/2027

This card shall be on your person while performing listed activities.

To remove card, start at either bottom corner and pull out from carrier.

U.S. Department of Justice
Bureau of Alcohol, Tobacco, Firearms and Explosives

Federal Explosives License/Permit
(18 U.S.C. Chapter 40)

In accordance with the provisions of Title XI. Organized Crime Control Act of 1970, and the regulations issued thereunder (27 CFR Part 555), you may engage in the activity specified in this license or permit within the limitations of Chapter 40, Title 18, United States Code and the regulations issued thereunder, until the expiration date shown **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 555.53.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF Correspondence To	ATF - Chief, FELC 244 Needy Road Martinsburg, WV 25405-9431	License/Permit Number	**4-OH-153-50-6M-00226**
Chief, Federal Explosives Licensing Center (FELC)	Mona Howard	Expiration Date	**December 1, 2026**

Name
AMERICAN FIREWORKS INC

Premises Address (Changes? Notify the FFLC at least 10 days before the move.)
7041 DARROW RD
HUDSON, OH 44236-

Type of License or Permit
50-MANUFACTURER OF EXPLOSIVES

Purchasing Certification Statement

The licensee or permittee named above shall use a copy of this license or permit to assist a transferor of explosives to verify the identity and the licensed status of the licensee or permittee as provided by 27 CFR Part 555. The signature on each copy must be an original signature. A faxed, scanned or e-mailed copy of the license or permit with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Explosives Licensee (FEL) or a responsible person of the FEL. I certify that this is a true copy of a license or permit issued to the licensee or permittee named above to engage in the business or operations specified above under "Type of License or Permit."

Mailing Address (Changes? Notify the FELC of any changes.)

AMERICAN FIREWORKS INC
PO BOX 1447 ATTN KATIE
HUDSON, OH 44236-

Roberto Sorgi — Licensee Permittee Responsible Person Signature
President — Position Title
ROBERTO SORGI — Printed Name
01/03/2024 — Date

Previous Edition is Obsolete AMERICAN FIREWORKS INC 7041 DARROW RD 44236 4-OH-153-50-6M-00226 December 1, 2026 50-MANUFACTURER OF EXPLOSIVES

ATF Form 5400.14/5400.15 Part 1
Revised September 2011

Federal Explosives License (FEL) Customer Service Information

Federal Explosives Licensing Center (FELC)
244 Needy Road
Martinsburg, WV 25405-9431

Toll-free Telephone Number: (877) 283-3352
Fax Number: (304) 616-4401
E-mail: FELC@atf.gov

ATF Homepage: www.atf.gov

Change of Address *(27 CFR 555.54(a)(1))*. Licensees or permittees may during the term of their current license or permit remove their business or operations to a new location at which they intend regularly to carry on such business or operations. The licensee or permittee is required to give notification of the new location of the business or operations not less than 10 days prior to such removal with the Chief, Federal Explosives Licensing Center. The license or permit will be valid for the remainder of the term of the original license or permit. **(The Chief, FELC, shall, if the licensee or permittee is not qualified, refer the request for amended license or permit to the Director of Industry Operations for denial in accordance with § 555.54.)**

Right of Succession *(27 CFR 555.59)*. (a) Certain persons other than the licensee or permittee may secure the right to carry on the same explosive materials business or operations at the same address shown on, and for the remainder of the term of, a current license or permit. Such persons are: (1) The surviving spouse or child, or executor, administrator, or other legal representative of a deceased licensee or permittee; and (2) A receiver or trustee in bankruptcy, or an assignee for benefit of creditors. (b) In order to secure the right provided by this section, the person or persons continuing the business or operations shall furnish the license or permit for for that business or operations for endorsement of such succession to the Chief, FELC, within 30 days from the date on which the successor begins to carry on the business or operations.

(Continued on reverse side)

Cut Here ✂

Federal Explosives License/Permit (FEL) Information Card

License/Permit Name: **AMERICAN FIREWORKS INC**

Business Name:

License/Permit Number **4-OH-153-50-6M-00226**


License Permit Type: **50-MANUFACTURER OF EXPLOSIVES**

Expiration: **December 1, 2026**

Please Note: Not Valid for the Sale or Other Disposition of Explosives.

City of Rochester Hills: Light the Village

Festival Park: Village Main , Rochester Hills, Michigan 48307



Distance Required to Meet NFPA 1126

1" —> 1.5"

10' —> 30'

AMERICAN FIREWORKS COMPANY ***RFS 2021***

2026

Permit for Fireworks Other Than Consumer or Low Impact

Michigan Department of Licensing & Regulatory Affairs
Bureau of Fire Services
P.O. Box 30700
Lansing MI 48909
(517) 241-8847

Authority	2011 PA 256	The Department of Licensing & Regulatory Affairs will not discriminate against any individual or group because of race, sex, religion, age national origin, color, marital status, disability or political beliefs. If you need assistance with reading, writing, hearing, etc., under the Americans with Disabilities Act, you may make your needs known to this agency.
Compliance	Voluntary	
Penalty	Permit will not be issued	

This permit is not transferable. Possession of this permit authorizes the herein named person to possess, transport and display fireworks in the amounts, for the purpose of and at the place listed below only

Display Fireworks

ISSUED TO: **AMERICAN FIREWORKS COMPANY** | AGE (18 or over):

ADDRESS: **7041 DARROW ROAD, HUDSON, OHIO 44236**

NAME OF ORGANIZATION, GROUP, FIRM OR CORPORATION: CITY OF ROCHESTER HILLS, MICHIGAN- LISA CUMMINGS

ADDRESS: 1000 ROCHESTER HILLS DRIVE, ROCHESTER HILLS, MI

NUMBER AND TYPES OF FIREWORKS

150	1"	22 mm COMETS AND MINES
100	1.5"	40 mm COMETS AND MINES
75	2"	50 mm COMETS AND MINES
200		SPECIAL EFFECT FOUNTAINS, GERBS, FLAMES & CANDLES

EXACT LOCATION OF DISPLAY OR USE: **140 N. ADAMS ROAD**

CITY, VILLAGE, TOWNSHIP: **ROCHESTER HILLS, MICHIGAN 48307**

DATE: **11/20/26 RD: TBD**

TIME: **APPROX. 8:00 PM**

BOND OR INSURANCE FILED: ☒ YES ☐ NO

AMOUNT:

Issued by action of the Legislative Body of a

☐ City ☐ Village ☐ Township of _____ on the _____ day of

_____
(Signature and Title of Legislative Body Representative)

THIS FORM IS VALID FOR THE YEAR SHOWN ONLY